

OABD Publications by ISBD OABD Taskforce or Members

(Updated 7/29/25; official OABD Taskforce reports indicated with \*\*;  
see [here](#) for OABD publications using GAGE-BD data)

From most recent -

Gildengers AG, Butters MA, Aizenstein HJ, Emanuel J, Ding T, Anderson SJ, Becker JT, Lopez O, Reynolds CF 3rd, Mulsant BH. A Longitudinal Study of the Relationship Among Cognition, Mood Symptoms, and Markers of Brain Health in Older Age Bipolar Disorder: Une étude longitudinale de la relation entre la cognition, les symptômes thymiques, et les marqueurs de la santé du cerveau en présence de troubles bipolaires du sujet âgé. *Can J Psychiatry*. 2025 May 25:7067437251343295. doi: [10.1177/07067437251343295](#). Epub ahead of print. PMID: 40415375; PMCID: PMC12106387.

Beunders AJM, Korten NCM, Bot M, Schouws SNTM, Kupka RW, Orhan M, Dols A. Physical multimorbidity is not independently associated with cognitive performance in patients with older-age bipolar disorder (OABD). *Int Psychogeriatr*. 2025 Apr 17:100070. doi: [10.1016/j.inpsyc.2025.100070](#). Epub ahead of print. PMID: 40251058.

Garel N, Dols A, Yu J, Cresce CD, Rej S, Sajatovic M. Effect of Cariprazine on Outcomes in Older-aged and Younger-aged Patients with Bipolar I Disorder: A Post-hoc Analysis. *Am J Geriatr Psychiatry*. 2025 Apr;33(4):372-386. doi: [10.1016/j.jagp.2024.12.006](#). Epub 2025 Jan 9. PMID: 39855966.

Montejo L, Sole B, Fico G, Kalman JL, Budde M, Heilbronner U, Oliva V, De Prisco M, Martin-Parra S, Ruiz A, Martinez-Aran A, Adorjan K, Falkai P, Heilbronner M, Kohshour MO, Reich-Erkelenz D, Schaupp SK, Schulte EC, Senner F, Vogl T, Anghelescu IG, Arolt V, Baune BT, Dannlowski U, Dietrich DE, Fallgatter AJ, Figge C, Juckel G, Konrad C, Reimer J, Reininghaus EZ, Schmauß M, Wiltfang J, Zimmermann J, Vieta E, Papiol S, Schulze TG, Torrent C. Contrasting genetic burden for bipolar disorder: Early onset versus late onset in an older adult bipolar disorder sample. *Eur Neuropsychopharmacol*. 2025 Mar;92:29-37. doi: [10.1016/j.euroneuro.2024.12.001](#). Epub 2024 Dec 22. PMID: 39718074.

Montejo L, Retuerto M, Solé B, Martín S, Ruiz A, Clougher D, Bort M, Sánchez-Moreno J, Martínez-Arán A, Vieta E, Torrent C. Facing Life in Old Age: Exploring Resilience in Older Adults with Bipolar Disorder. *J Clin Med*. 2024 Jul 5;13(13):3942. doi: [10.3390/jcm13133942](#). PMID: 38999507; PMCID: PMC11242266.

Montejo L, Sole B, Fortea L, Jimenez E, Martinez-Aran A, Martinez-Heras E, Sanchez-Moreno J, Ortuño M, Pariente J, Solanes A, Torrent C, Vilajosana E, De Prisco M, Vieta E, Radua J. Study protocol - elucidating the neural correlates of functional remediation for older adults with bipolar disorder. *Front Psychiatry*. 2024 Jan 17;14:1302255. doi: [10.3389/fpsyt.2023.1302255](#). PMID: 38298927; PMCID: PMC10827946.

\*\*Montejo L, Orhan M, Chen P, Eyler LT, Gildengers A, Martinez-Aran A, Nunes PV, Olagunju AT, Patrick R, Vieta E, Dols A, Jimenez E. Functioning in older adults with bipolar disorder: A report on recommendations by the International Society of bipolar disorder (ISBD) older adults with bipolar disorder (OABD) task force. *Bipolar Disord*. 2023 Sep;25(6):457-468. doi: [10.1111/bdi.13368](#). Epub 2023 Jul 26. PMID: 37495508.

Orhan M, Korten N, Kok A, Loeff D, Kupka R, Schouws S, van Oppen P, Dols A. The course of psychiatric symptoms in older age bipolar disorder during the COVID-19 pandemic. *Int J Bipolar Disord*. 2022 Dec 6;10(1):29. doi: [10.1186/s40345-022-00274-4](#). PMID: 36472691; PMCID: PMC9727013.

van der Markt A, Beunders AJM, Korten NCM, Schouws SNTM, Beekman ATF, Kupka RW, Klumpers U, Dols A. Illness progression in older-age bipolar disorder: Exploring the applicability, dispersion, concordance, and associated clinical markers of two staging models for bipolar disorder in an older population. *Int J Geriatr Psychiatry*. 2022 Nov;37(11):10.1002/gps.5816. doi: [10.1002/gps.5816](https://doi.org/10.1002/gps.5816). PMID: 36205029; PMCID: PMC9828008.

Orhan M, Schouws S, van Oppen P, Stek M, Naarding P, Rhebergen D, Dols A, Korten N. Cognitive functioning in late life affective disorders: Comparing older adults with bipolar disorder, late life depression and healthy controls. *J Affect Disord*. 2023 Jan 1;320:468-473. doi: [0.1016/j.jad.2022.09.127](https://doi.org/10.1016/j.jad.2022.09.127). Epub 2022 Oct 4. PMID: 36202302.

Rajashekar N, Blumberg HP, Villa LM. Neuroimaging studies of brain structure in older adults with bipolar disorder: A review. *J Psychiatr Brain Sci*. 2022;7(4):e220006. doi: [10.20900/jpbs.20220006](https://doi.org/10.20900/jpbs.20220006). Epub 2022 Aug 25. PMID: 36092855; PMCID: PMC9453888.

Paans NP, Korten N, Orhan M, Ensing A, Schouws SN, Kupka R, van Oppen P, Dols A. Is social functioning in older age patients with bipolar disorder associated with affective and/or non-affective cognition? *Int J Geriatr Psychiatry*. 2022 Feb;37(2). doi: [10.1002/gps.5676](https://doi.org/10.1002/gps.5676). PMID: 34997778.

Montejo L, Torrent C, Jiménez E, Martínez-Arán A, Blumberg HP, Burdick KE, Chen P, Dols A, Eyler LT, Forester BP, Gatchel JR, Gildengers A, Kessing LV, Miskowiak KW, Olagunju AT, Patrick RE, Schouws S, Radua J, Bonnín CDM, Vieta E; International Society for Bipolar Disorders (ISBD) Older Adults with Bipolar Disorder (OABD) Task Force. Cognition in older adults with bipolar disorder: An ISBD task force systematic review and meta-analysis based on a comprehensive neuropsychological assessment. *Bipolar Disord*. 2022 Mar;24(2):115-136. doi: [10.1111/bdi.13175](https://doi.org/10.1111/bdi.13175). Epub 2022 Jan 7. Erratum in: *Bipolar Disord*. 2023 Sep;25(6):527. doi: [10.1111/bdi.13263](https://doi.org/10.1111/bdi.13263). PMID: 34978124.

Montejo L, Jiménez E, Solé B, Murru A, Arbelo N, Benabarre A, Valentí M, Clougher D, Rodríguez MA, Borràs R, Martínez-Arán A, Vieta E, Bonnín CDM, Torrent C. Identifying neurocognitive heterogeneity in Older Adults with Bipolar Disorder: a cluster analysis. *J Affect Disord*. 2022 Feb 1;298(Pt A):522-531. doi: [10.1016/j.jad.2021.11.028](https://doi.org/10.1016/j.jad.2021.11.028). Epub 2021 Nov 14. PMID: 34788686.

Beunders AJM, Kemp T, Korten NCM, Oudega ML, Beekman ATF, Kupka RW, Stek ML, Schouws SNTM, Dols A. Cognitive performance in older-age bipolar disorder: Investigating psychiatric characteristics, cardiovascular burden and psychotropic medication. *Acta Psychiatr Scand*. 2021 Oct;144(4):392-406. doi: [10.1111/acps.13342](https://doi.org/10.1111/acps.13342). Epub 2021 Jul 21. PMID: 34166526; PMCID: PMC8518600.

\*\*Olagunju AT, Morgan JA, Aftab A, Gatchel JR, Chen P, Dols A, Sajatovic M, Regenold WT. A review of the evidence base for nutrition and nutritional supplements in older adults with bipolar disorder: A report from the OABD task force. *J Frailty Aging*. 2021;10(3):241-246. doi: [10.14283/jfa.2020.64](https://doi.org/10.14283/jfa.2020.64). PMID: 34105708; PMCID: PMC8715337.

Beunders AJM, Kok AAL, Kosmas PC, Beekman ATF, Sonnenberg CM, Schouws SNTM, Kupka RW, Stek ML, Dols A. Physical comorbidity in older-age bipolar disorder (OABD) compared to the general population - a 3-year longitudinal prospective cohort study. *J Affect Disord*. 2021 Jun 1;288:83-91. doi: [10.1016/j.jad.2021.03.057](https://doi.org/10.1016/j.jad.2021.03.057). Epub 2021 Mar 26. PMID: 33845328.

- Orhan M, Korten N, Paans N, de Walle B, Kupka R, van Oppen P, Kok A, Sonnenberg C, Schouws S, Dols A. Psychiatric symptoms during the COVID-19 outbreak in older adults with bipolar disorder. *Int J Geriatr Psychiatry*. 2021 Jun;36(6):892-900. doi: [10.1002/gps.5489](https://doi.org/10.1002/gps.5489). Epub 2021 Jan 23. PMID: 33368692.
- Orhan M, Korten N, Kupka R, van Oppen P, Stek M, Vieta E, Schouws S, van Ballegooijen W, Dols A. Reliability and validity of the functioning assessment short test for older adults with bipolar disorder (FAST-O). *Int J Bipolar Disord*. 2020 Oct 2;8(1):28. doi: [10.1186/s40345-020-00193-2](https://doi.org/10.1186/s40345-020-00193-2). PMID: 33006669; PMCID: PMC7532249.
- Orhan M, Huijser J, Korten N, Paans N, Regeer E, Sonnenberg C, van Oppen P, Stek M, Kupka R, Dols A. The influence of social, psychological, and cognitive factors on the clinical course in older patients with bipolar disorder. *Int J Geriatr Psychiatry*. 2021 Feb;36(2):342-348. doi: [10.1002/gps.5431](https://doi.org/10.1002/gps.5431). Epub 2020 Sep 17. PMID: 32909298.
- Schouws SNTM, Korten N, Beekman ATF, Stek ML, Dols A. Does cognitive function in older bipolar patients depend on recurrent or current mood symptoms? *Int J Geriatr Psychiatry*. 2020 Oct;35(10):1163-1170. doi: [10.1002/gps.5352](https://doi.org/10.1002/gps.5352). Epub 2020 Jun 8. PMID: 32419176.
- Dols A, Beekman A. Older age bipolar disorder. *Clin Geriatr Med*. 2020 May;36(2):281-296. doi: [10.1016/j.cger.2019.11.008](https://doi.org/10.1016/j.cger.2019.11.008). PMID: 3222302.
- Eyler LT, Aebi ME, Daly RE, Hansen K, Tatsuoka C, Young RC, Sajatovic M. Understanding aging in bipolar disorder by integrating archival clinical research datasets. *Am J Geriatr Psychiatry*. 2019 Oct;27(10):1122-1134. doi: [10.1016/j.jagp.2019.04.003](https://doi.org/10.1016/j.jagp.2019.04.003). Epub 2019 Apr 18. PMID: 31097301; PMCID: PMC6739177.
- Shulman KI, Sajatovic M, Dols A. Laboratories should provide a separate therapeutic range for serum lithium levels in maintenance treatment of older adults with bipolar disorder (OABD). *Bipolar Disord*. 2019 May;21(3):190-191. doi: [10.1111/bdi.12769](https://doi.org/10.1111/bdi.12769). Epub 2019 Apr 3. PMID: 30861253.
- Fotso Soh J, Klil-Drori S, Rej S. Using lithium in older age bipolar disorder: Special considerations. *Drugs Aging*. 2019 Feb;36(2):147-154. doi: [10.1007/s40266-018-0628-1](https://doi.org/10.1007/s40266-018-0628-1). PMID: 30613911.
- Shulman KI, Almeida OP, Herrmann N, Schaffer A, Strejilevich SA, Paternoster C, Amodio S, Dols A, Sajatovic M. Delphi survey of maintenance lithium treatment in older adults with bipolar disorder: An ISBD task force report. *Bipolar Disord*. 2019 Mar;21(2):117-123. doi: [10.1111/bdi.12714](https://doi.org/10.1111/bdi.12714). Epub 2018 Nov 16. PMID: 30375703; PMCID: PMC6587471.
- Orhan M, Korten N, Stek M, Comijs H, Schouws S, Dols A. The relationship between cognitive and social functioning in older patients with bipolar disorder. *J Affect Disord*. 2018 Nov;240:177-182. doi: [10.1016/j.jad.2018.07.055](https://doi.org/10.1016/j.jad.2018.07.055). Epub 2018 Jul 24. PMID: 30075388.
- Paans NPG, Dols A, Comijs HC, Stek ML, Schouws SNTM. Associations between cognitive functioning, mood symptoms and coping styles in older age bipolar disorder. *J Affect Disord*. 2018 Aug 1;235:357-361. doi: [10.1016/j.jad.2018.04.052](https://doi.org/10.1016/j.jad.2018.04.052). Epub 2018 Apr 6. PMID: 29665519.
- Dols A, Beekman A. Older age bipolar disorder. *Psychiatr Clin North Am*. 2018 Mar;41(1):95-110. doi: [10.1016/j.psc.2017.10.008](https://doi.org/10.1016/j.psc.2017.10.008). Epub 2017 Dec 8. PMID: 29412851.

Rej S, Quayle W, Forester BP, Dols A, Gatchel J, Chen P, Gough S, Fox R, Sajatovic M, Strejilevich SA, Eyler LT. Measurement tools for assessment of older age bipolar disorder: A systematic review of the recent global literature. *Bipolar Disord*. 2018 Jun;20(4):359-369. doi: [10.1111/bdi.12566](https://doi.org/10.1111/bdi.12566). Epub 2017 Nov 6. PMID: 29108106.

Chen P, Dols A, Rej S, Sajatovic M. Update on the epidemiology, diagnosis, and treatment of mania in older-age bipolar disorder. *Curr Psychiatry Rep*. 2017 Aug;19(8):46. doi: [10.1007/s11920-017-0804-8](https://doi.org/10.1007/s11920-017-0804-8). PMID: 28647815.

Dols A, Thesing C, Wouters M, Theunissen J, Sonnenberg C, Comijs H, Stek ML. Burden on caregivers of older patients with bipolar disorder. *Aging Ment Health*. 2018 May;22(5):686-691. doi: [10.1080/13607863.2017.1297360](https://doi.org/10.1080/13607863.2017.1297360). Epub 2017 Mar 9. PMID: 28276251.

Martino DJ, Marengo E, Igoa A, Strejilevich SA. Neurocognitive heterogeneity in older adults with bipolar disorders. *Psychiatry Res*. 2018 Apr;262:510-512. doi: [10.1016/j.psychres.2017.09.035](https://doi.org/10.1016/j.psychres.2017.09.035). Epub 2017 Sep 14. PMID: 28942955.

\*\*Dols A, Kessing LV, Strejilevich SA, Rej S, Tsai SY, Gildengers AG, Almeida OP, Shulman KI, Sajatovic M; International Society for Bipolar Disorders Task Force for Older Adults with Bipolar Disorder. Do current national and international guidelines have specific recommendations for older adults with bipolar disorder? A brief report. *Int J Geriatr Psychiatry*. 2016 Dec;31(12):1295-1300. doi: [10.1002/gps.4534](https://doi.org/10.1002/gps.4534). Epub 2016 Jul 21. PMID: 27442023.

\*\*Sajatovic M, Strejilevich SA, Gildengers AG, Dols A, Al Jurdi RK, Forester BP, Kessing LV, Beyer J, Manes F, Rej S, Rosa AR, Schouws SN, Tsai SY, Young RC, Shulman KI. A report on older-age bipolar disorder from the International Society for Bipolar Disorders Task Force. *Bipolar Disord*. 2015 Nov;17(7):689-704. doi: [10.1111/bdi.12331](https://doi.org/10.1111/bdi.12331). Epub 2015 Sep 19. PMID: 26384588; PMCID: PMC4623878.